Index to Volume 11, 2005

Author Index

A

Altman H. (see Campo et al). 2005;11:276-282

Anderson JK. (see Horowitz et al). 2005;11:164-172

Austrom MG. (see Lu and Austrom). 2005;11:231-240

B

Baker A. Palliative and end-of-life care in the serious and persistently mentally ill population. 2005;11:298-303 (Brief Report)

Berry E. (see Jevitt et al). 2006;11:359-363 (Brief Report)

Blaakman SW. (see Sharp et al). 2006;11:329-337

Blair E, Gruman C. Falls in an inpatient geriatric psychiatric population. 2006;11:351-354 (Brief Report)

Brown EJ, Waite CD. Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors. 2005;11:88-100

Brown EJ, Wells S. A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents. 2006;11:344-350

Buckwalter K. (see Kerber et al). 2005;11:269-75

Buckwalter KC. (see Gerdner et al). 2005;11:215-222

C

Campo JV, Shafer S, Strohm J, Lucas A, Cassesse CG, Shaeffer D, Altman H. Pediatric behavioral health in primary care: a collaborative approach. 2005;11:276-282

Cassesse CG. (see Campo et al). 2005;11:276-282

Caughill A. Letters to the editors. 2005;11:17 (Letter)

Chipps E. (see Kennedy et al). 2005;11:45-51

Cole EC. (see Sharp et al). 2006;11:329-337

Cole RE. (see Sharp et al). 2006;11:329-337

Culp KR. (see Kerber et al). 2005;11:269-275

Cutler CG. Self-efficacy and social adjustment of patients with mood disorder. 2005;11:283-289

D

Dawson AM. (see Potter et al). 2005;11:144-155

Dyck MJ. (see Kerber et al). 2005;11:269-275

E

Edward K. Resilience: a protector from depression. 2005;11:241-243 (Brief Report)

Edward K, Warelow P. Resilience: when coping is emotionally intelligent. 2005;11:101-102 (Short Report)

F

Farley-Toombs C. (see Staten et al). 2006;11:371-380 (Briefing)

Farlow MR. (see Lilly and Farlow). 2005;11:293-297 (Brief Report)

Faunce HT. Letters to the editors. 2005;11:17 (Letter)

Fitzpatrick JJ. Signs of silent suicide among depressed hospitalized geriatric patients. 2005;11:290-292 (Brief Report)

Fonte J, Horton-Deutsch S. Treating postpartum depression in immigrant Muslim women. 2005;11:39-44

G

Gerdner LA, Buckwalter KC, Hall GR. Temporal patterning of agitation and stressors associated with agitation: case profiles to illustrate the progressively lowered stress threshold model. 2005;11:215-222

Giard A. (see Heckner and Giard). 2005;11:35-38

Gourley GK. (see Thomas et al). 2005;11:156-163

Gruman C. (see Blair and Gruman). 2006;11:351-354 (Brief Report)

H

Hall GR. (see Gerdner et al). 2005;11:215-222

Hall LA. (see Peden et al). 2005;11:18-25

Hamera E. (see Staten et al). 2006;11:371-380 (Briefing)

Hanrahan NP. (see Staten et al). 2006;11:371-380 (Briefing)

Harrington M. (see Jevitt et al). 2006;11:359-363 (Brief Report)

Heckner C, Giard A. A comparison of on-site and telepsychiatry supervision. 2005;11:35-38

Hillyer D. (see Staten et al). 2006;11:371-380 (Briefing)

Horowitz JA, Logsdon MC, Anderson JK. Measurement of maternal-infant interaction. 2005;11:164-172

Horton-Deutsch S. (see Fonte and Horton-Deutsch). 2005;11:39-44

Hunt C. (see Kennedy et al). 2005;11:45-51

J

Jevitt C, Zapata L, Harrington M, Berry E. Screening for perinatal depression with limited psychiatric resources. 2006;11:359-363 (Brief Report)

K

Kennedy C, Salsberry P, Nickel J, Hunt C, Chipps E. The burden of disease in those with serious mental and physical illnesses. 2005;11:45-51

Kerber CS, Dyck MJ, Culp KR, Buckwalter K. Comparing the geriatric depression scale, minimum data set, and primary care provider diagnosis for depression in rural nursing home residents. 2005;11:269-275

Koenig K. Management of the depression-pain syndrome. 2005;11:81-87

L

Lilly ML, Farlow MR. Rivastigmine: an open-label observational study of behavioral symptoms identified as most troubling by caregivers of patients with Alzheimer's disease. 2005;11:293-297 (Brief Report)

Limandri BJ. (see Staten et al). 2006;11:371-380 (Briefing)

Logsdon MC. (see Horowitz et al). 2005;11:164-172

Lu YY-F, Austrom MG. Distress responses and self-care behaviors in dementia family caregivers with high and low depressed mood. 2005;11:231-240

Lucas A. (see Campo et al). 2005;11:276-282

M

Mahan V. Challenges in the treatment of depression. 2006;11:366-370 (Point of View)

Mele N. (see Thomas et al). 2005;11:156-163

Moore BA. The crucial roles of advanced practice psychiatric nurses during wartime. 2005;11:52 (Point of View)

N

Nickel J. (see Kennedy et al). 2005;11:45-51

P

Peden AR, Rayens MK, Hall LA. A community-based depression prevention intervention with low-income single mothers. 2005;11:18-25

Pestka EL. Genetic counseling for mental health disorders. 2006;11:338-343

Phoenix B. (see Staten et al). 2006;11:371-380, (Briefing)

Potter ML, Vitale-Nolen R, Dawson AM. Implementation of safety agreements in an acute psychiatric facility. 2005;11:144-155

R

Raphel S. Who champions the children at a time of great devastation? 2005;11:173-174 (Point of View)

Rayens MK. (see Peden et al). 2005;11:18-25

Rice M. (see Staten et al). 2006;11:371-380 (Briefing)

Rowell PA. The victor(y) over interpersonal trauma. 2005;11:103-106 (Point of View)

S

Salsberry P. (see Kennedy et al). 2005;11:45-51

Scrandis DA. Normalizing postpartum depressive symptoms with social support. 2005;11:223-230

Shaeffer D. (see Campo et al). 2005;11:276-282

Shafer S. (see Campo et al). 2005;11:276-282

Sharp DL, Blaakman SW, Cole RE, Cole EC. Evidence-based multidisciplinary strategies for working with children who set fires. 2006;11:329-337

St. John-Seed M, Weiss SJ. Maternal state of mind and expressed emotion: impact of mother's mental health, stress, and family satisfaction. 2005;11:135-143

Staten RR, Hamera E, Hanrahan NP, Hillyer D, Limandri BJ, Phoenix B, Rice M, Weeks S, Farley-Toombs C. Advanced practice psychiatric nurses: 2005 legislative update. 2006;11:371-380 (Briefing)

Strohm J. (see Campo et al). 2005;11:276-282

Stuhlmiller CM. Promoting student interest in mental health nursing. 2006;11:355-358 (Brief Report)

T

Thomas J, Gourley GK, Mele N. The availability of behavioral health services for youth in the juvenile justice system. 2005;11:156-163

Tyra PA. June Mellow, RN, EdD: tribute to a psychiatric nursing leader. 2005;11:53 (In Memoriam)

V

Vitale-Nolen R. (see Potter et al). 2005;11:144-155

W

Waite CD. (see Brown and Waite). 2005;11:88-100

Warelow P. (see Edward and Warelow). 2005;11:101-102 (Short Report)

Weeks S. (see Staten et al). 2006;11:371-380 (Briefing)

Weiss SJ. (see St. John-Seed and Weiss). 2005;11:135-143

Wells S. (see Brown and Wells). 2006;11:344-350

Wysoker A. Psychiatric-mental health nurses and the aftermath of Hurricane Katrina: fulfilling the ethical responsibilities. 2006;11:364-365

Wysoker A. The lived experience of choosing bariatric surgery to lose weight. 2005;11:26-34

Z

Zapata L. (see Jevitt et al). 2006;11:359-363 (Brief Report)

Subject Index

A

Adolescents

A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents (Brown and Wells). 2006;11:344-350

Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors (Brown and Waite). 2005;11:88-100

Advance practice psychiatric nurses

Advanced practice psychiatric nurses: 2005 legislative update (Staten et al). 2006;11:371-380 (Briefing)

The crucial roles of advanced practice psychiatric nurses during wartime (Moore). 2005;11:52 (Point of View)

African Americans

A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents (Brown and Wells). 2006;11:344-350

Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors (Brown and Waite). 2005;11:88-100

Aging

Distress responses and self-care behaviors in dementia family caregivers with high and low depressed mood (Lu and Austrom). 2005;11:231-240

Agitation

Temporal patterning of agitation and stressors associated with agitation: case profiles to illustrate the progressively lowered stress threshold model (Gerdner et al). 2005;11:215-222

Alzheimer's disease

Distress responses and self-care behaviors in dementia family caregivers with high and low depressed mood (Lu and Austrom). 2005;11:231-240

Rivastigmine: an open-label observational study of behavioral symptoms identified as most troubling by caregivers of patients with Alzheimer's disease (Lilly and Farlow). 2005;11:293-297 (Brief Report)

B

Bariatric surgery

The lived experience of choosing bariatric surgery to lose weight (Wysoker). 2005;11:26-34

Behavioral health care

The availability of behavioral health services for youth in the juvenile justice system (Thomas et al). 2005;11:156-163

C

Clinic

A comparison of on-site and telepsychiatry supervision (Heckner and Giard). 2005;11:35-38

Clinical practice

Resilience: a protector from depression (Edward). 2005;11:231-240

Community health nursing

Screening for perinatal depression with limited psychiatric resources (Jevitt et al). 2006;11:359-363 (Brief Report)

Complementary therapies

Management of the depression-pain syndrome (Koenig). 2005;11:81-87

Consumers

Resilience: when coping is emotionally intelligent (Edward and Warelow). 2005;11:101-102 (Short Report)

Coping

Resilience: when coping is emotionally intelligent (Edward and Warelow). 2005;11:101-102 (Short Report)

The victor(y) over interpersonal trauma (Rowell). 2005;11:103-106 (Point of View)

Credentialing

Advanced practice psychiatric nurses: 2005 legislative update (Staten et al). 2006;11:371-380 (Briefing)

Culture

Challenges in the treatment of depression (Mahan). 2006;11:366-370 (Point of View)

D

Delivery of health care

Pediatric behavioral health in primary care: a collaborative approach (Campo et al). 2005;11:276-282

Dementia

Rivastigmine: an open-label observational study of behavioral symptoms identified as most troubling by caregivers of patients with Alzheimer's disease (Lilly and Farlow). 2005;11:293-297 (Brief Report)

Temporal patterning of agitation and stressors associated with agitation: case profiles to illustrate the progressively lowered stress threshold model (Gerdner et al). 2005;11:215-222

Depression

Challenges in the treatment of depression (Mahan). 2006;11:366-370 (Point of View)

Comparing the geriatric depression scale, minimum data set, and primary care provider diagnosis for depression in rural nursing home residents (Kerber et al). 2005;11:269-275

Management of the depression-pain syndrome (Koenig). 2005;11:81-87

Resilience: a protector from depression (Edward). 2005;11:231-240

Signs of silent suicide among depressed hospitalized geriatric patients (Fitzpatrick). 2005;11:290-292 (Brief Report)

Depression-pain syndrome

Management of the depression-pain syndrome (Koenig). 2005;11:81-87

Devastation

Psychiatric-mental health nurses and the aftermath of Hurricane Katrina: fulfilling the ethical responsibilities (Wysoker). 2006;11:364-365

Who champions the children at a time of great devastation? (Raphel). 2005;11:173-174 (Point of View)

Disease burden

The burden of disease in those with serious mental and physical illnesses (Kennedy et al). 2005;11:45-51

Drugs

A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents (Brown and Wells). 2006;11:344-350

Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors (Brown and Waite). 2005;11:88-100

E

Edinburgh postnatal depression scale

Screening for perinatal depression with limited psychiatric resources (Jevitt et al). 2006;11:359-363 (Brief Report)

Education

Promoting student interest in mental health nursing (Stuhlmiller). 2006;11:355-358 (Brief Report)

End-of-life care

Palliative and end-of-life care in the serious and persistently mentally ill population (Baker). 2005;11:298-303 (Brief Report)

Expressed emotion

Maternal state of mind and expressed emotion: impact of mother's mental health, stress, and family satisfaction (St. John-Seed and Weiss). 2005;11:135-143

F

Faith-based

A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents (Brown and Wells). 2006;11:344-350

Fall prevention

Falls in an inpatient geriatric psychiatric population (Blair and Gruman). 2006;11:351-354 (Brief Report)

Family function

Maternal state of mind and expressed emotion: impact of mother's mental health, stress, and family satisfaction (St. John-Seed and Weiss). 2005;11:135-143

Family pedigree

Genetic counseling for mental health disorders (Pestka). 2006;11:338-343

Fire play

Evidence-based multidisciplinary strategies for working with children who set fires (Sharp et al). 2006;11:329-337

Focus group

Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors (Brown and Waite). 2005;11:88-100

G

Genetic counseling

Genetic counseling for mental health disorders (Pestka). 2006;11:338-343

Genomics

Genetic counseling for mental health disorders (Pestka). 2006;11:338-343

Geriatric psychiatric patients

Falls in an inpatient geriatric psychiatric population (Blair and Gruman). 2006;11:351-354 (Brief Report)

Grounded theory

Normalizing postpartum depressive symptoms with social support (Scrandis). 2005;11:223-230

H

HIV

A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents (Brown and Wells). 2006;11:344-350

Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors (Brown and Waite). 2005;11:88-100

Hospitalized elders

Signs of silent suicide among depressed hospitalized geriatric patients (Fitzpatrick). 2005;11:290-292 (Brief Report)

I

Immigrant

Treating postpartum depression in immigrant Muslim women (Fonte and Horton-Deutsch). 2005;11:39-44

Inheritance risks

Genetic counseling for mental health disorders (Pestka). 2006;11:338-343

Integrated

Pediatric behavioral health in primary care: a collaborative approach (Campo et al). 2005;11:276-282

Interdisciplinary interventions

Evidence-based multidisciplinary strategies for working with children who set fires (Sharp et al). 2006;11:329-337

J

Juvenile fire setting

Evidence-based multidisciplinary strategies for working with children who set fires (Sharp et al). 2006;11:329-337

Juvenile justice

The availability of behavioral health services for youth in the juvenile justice system (Thomas et al). 2005;11:156-163

L

Legal and ethical considerations

Psychiatric-mental health nurses and the aftermath of Hurricane Katrina: fulfilling the ethical responsibilities (Wysoker). 2006;11:364-365

Letters to the editors

Letters to the editors (Caughill). 2005;11:17

Letters to the editors (Faunce). 2005;11:17

Long-term care

Comparing the geriatric depression scale, minimum data set, and primary care provider diagnosis for depression in rural nursing home residents (Kerber et al). 2005;11:269-275

Low-income single mothers

A community-based depression prevention intervention with low-income single mothers (Peden et al). 2005;11:18-25

M

Maternal role functioning

Measurement of maternal-infant interaction (Horowitz et al). 2005;11:164-172

Mental health

The availability of behavioral health services for youth in the juvenile justice system (Thomas et al). 2005;11:156-163

Maternal state of mind and expressed emotion: impact of mother's mental health, stress, and family satisfaction (St. John-Seed and Weiss). 2005;11:135-143

Palliative and end-of-life care in the serious and persistently mentally ill population (Baker). 2005;11:298-303 (Brief Report)

Pediatric behavioral health in primary care: a collaborative approach (Campo et al). 2005;11:276-282

Resilience: a protector from depression (Edward). 2005;11:231-240

Resilience: when coping is emotionally intelligent (Edward and Warelow). 2005;11:101-102 (Short Report)

Mental health nursing

Promoting student interest in mental health nursing (Stuhlmiller). 2006;11:355-358 (Brief Report)

Minimum data set

Comparing the geriatric depression scale, minimum data set, and primary care provider diagnosis for depression in rural nursing home residents (Kerber et al). 2005;11:269-275

Mood disorder

Self-efficacy and social adjustment of patients with mood disorder (Cutler). 2005;11:283-289

Mother-child relations

Maternal state of mind and expressed emotion: impact of mother's mental health, stress, and family satisfaction (St. John-Seed and Weiss). 2005;11:135-143

Measurement of maternal-infant interaction (Horowitz et al). 2005;11:164-172

Muslim

Treating postpartum depression in immigrant Muslim women (Fonte and Horton-Deutsch). 2005;11:39-44

N

National Association of State Fire Marshalls

Evidence-based multidisciplinary strategies for working with children who set fires (Sharp et al). 2006;11:329-337

Negative thinking

A community-based depression prevention intervention with low-income single mothers (Peden et al). 2005;11-25

No suicide contracting

Implementation of safety agreements in an acute psychiatric facility (Potter et al). 2005;11:144-155

Nurse practitioner

A comparison of on-site and telepsychiatry supervision (Heckner and Giard). 2005;11:35-38

Palliative and end-of-life care in the serious and persistently mentally ill population (Baker). 2005;11:298-303 (Brief Report)

Nurse's role

Pediatric behavioral health in primary care: a collaborative approach (Campo et al). 2005;11:276-282

O

Obesity

The lived experience of choosing bariatric surgery to lose weight (Wysoker). 2005;11:26-34

Observer-rated interaction

Measurement of maternal-infant interaction (Horowitz et al). 2005;11:164-172

Older adult

Comparing the geriatric depression scale, minimum data set, and primary care provider diagnosis for depression in rural nursing home residents (Kerber et al). 2005;11:269-275

P

Pain

Management of the depression-pain syndrome (Koenig). 2005;11:81-87

Palliative care

Palliative and end-of-life care in the serious and persistently mentally ill population (Baker). 2005;11:298-303 (Brief Report)

Perinatal depression

Screening for perinatal depression with limited psychiatric resources (Jevitt et al). 2006;11:359-363 (Brief Report)

Physical and psychological symptoms of caregiving

Distress responses and self-care behaviors in dementia family caregivers with high and low depressed mood (Lu and Austrom). 2005;11:231-240

Physical health

The burden of disease in those with serious mental and physical illnesses (Kennedy et al). 2005;11:45-51

Postpartum depression

Measurement of maternal-infant interaction (Horowitz et al). 2005;11:164-172

Normalizing postpartum depressive symptoms with social support (Scrandis). 2005;11:223-230

Screening for perinatal depression with limited psychiatric resources (Jevitt et al). 2006;11:359-363 (Brief Report)

Treating postpartum depression in immigrant Muslim women (Fonte and Horton-Deutsch). 2005;11:39-44

Prevention of depression

A community-based depression prevention intervention with low-income single mothers (Peden et al). 2005;11:18-25

Primary health care

Challenges in the treatment of depression (Mahan). 2006;11:366-370 (Point of View)

Pediatric behavioral health in primary care: a collaborative approach (Campo et al). 2005;11:276-282

Problem behaviors

Rivastigmine: an open-label observational study of behavioral symptoms identified as most troubling by caregivers of patients with Alzheimer's disease (Lilly and Farlow). 2005;11:293-297 (Brief Report)

Progressively lowered stress threshold model

Temporal patterning of agitation and stressors associated with agitation: case profiles to illustrate the progressively lowered stress threshold model (Gerdner et al). 2005;11:215-222

Psychiatric nursing

Advanced practice psychiatric nurses: 2005 legislative update (Staten et al). 2006;11:371-380 (Briefing)

Pediatric behavioral health in primary care: a collaborative approach (Campo et al). 2005;11:276-282

Psychological aspects

The lived experience of choosing bariatric surgery to lose weight (Wysoker). 2005;11:26-34

Q

Qualitative research

The lived experience of choosing bariatric surgery to lose weight (Wysoker). 2005;11:26-34

Questionnaires

Measurement of maternal-infant interaction (Horowitz et al). 2005;11:164-172

R

Resilience

Resilience: a protector from depression (Edward). 2005;11:231-240

Resilience: when coping is emotionally intelligent (Edward and Warelow). 2005;11:101-102 (Short Report)

Rivastigmine

Rivastigmine: an open-label observational study of behavioral symptoms identified as most troubling by caregivers of patients with Alzheimer's disease (Lilly and Farlow). 2005;11:293-297 (Brief Report)

Rural

A comparison of on-site and telepsychiatry supervision (Heckner and Giard). 2005;11:35-38

A faith-based integrated substance abuse and HIV prevention program for rural African American adolescents (Brown and Wells). 2006;11:344-350

Perceptions of risk and resiliency factors associated with rural African American adolescents' substance abuse and HIV behaviors (Brown and Waite). 2005;11:88-100

S

Safety agreement

Implementation of safety agreements in an acute psychiatric facility (Potter et al). 2005;11:144-155

Safety contracting

Implementation of safety agreements in an acute psychiatric facility (Potter et al). 2005;11:144-155

Self-efficacy

Self-efficacy and social adjustment of patients with mood disorder (Cutler). 2005;11:283-289

Self-harming behaviors

Implementation of safety agreements in an acute psychiatric facility (Potter et al). 2005;11:144-155

Severe mental illness

The burden of disease in those with serious mental and physical illnesses (Kennedy et al). 2005;11:45-51

Palliative and end-of-life care in the serious and persistently mentally ill population (Baker). 2005;11:298-303 (Brief Report)

Silent suicide

Signs of silent suicide among depressed hospitalized geriatric patients (Fitzpatrick). 2005;11:290-292 (Brief Report)

Social adjustment

Self-efficacy and social adjustment of patients with mood disorder (Cutler). 2005;11:283-289

Social support

Normalizing postpartum depressive symptoms with social support (Scrandis). 2005;11:223-230

Stigma

Challenges in the treatment of depression (Mahan). 2006;11:366-370 (Point of View)

Stress

Maternal state of mind and expressed emotion: impact of mother's mental health, stress, and family satisfaction (St. John-Seed and Weiss). 2005;11:135-143

Temporal patterning of agitation and stressors associated with agitation: case profiles to illustrate the progressively lowered stress threshold model (Gerdner et al). 2005;11:215-222

Substance abuse

The availability of behavioral health services for youth in the juvenile justice system (Thomas et al). 2005;11:156-163

Supervision

A comparison of on-site and telepsychiatry supervision (Heckner and Giard). 2005;11:35-38

T

Telepsychiatry

A comparison of on-site and telepsychiatry supervision (Heckner and Giard). 2005;11:35-38

Terminal illness

Palliative and end-of-life care in the serious and persistently mentally ill population (Baker). 2005;11:298-303 (Brief Report)

Trauma

Psychiatric-mental health nurses and the aftermath of Hurricane Katrina: fulfilling the ethical responsibilities (Wysoker). 2006;11:364-365

The victor(y) over interpersonal trauma (Rowell). 2005;11:103-106 (Point of View)

Who champions the children at a time of great devastation? (Raphel). 2005;11:173-174 (Point of View)

U

Undergraduate

Promoting student interest in mental health nursing (Stuhlmiller). 2006;11:355-358 (Brief Report)

W

Wartime

The crucial roles of advanced practice psychiatric nurses during wartime (Moore). 2005;11:52 (Point of View)

Weight control

The lived experience of choosing bariatric surgery to lose weight (Wysoker). 2005;11:26-34